# IRC-7

Log # 10 - 2-0 (for office use only)

## WASHINGTON STATE BUILDING CODE COUNCIL

### APPLICATION FOR REVIEW OF A PROPOSED STATEWIDE AMENDMENT TO THE WASHINGTON STATE BUILDING CODE

1. State Building Code to be Amended.	
<ul> <li>International Building Code</li> <li>International Residential Code</li> <li>ICC ANSI A117.1 Accessibility Code</li> <li>International Fire Code</li> <li>Uniform Plumbing Code</li> <li>State Energy Code</li> </ul>	<ul> <li>[ ] Ventilation and Indoor Air Quality Code</li> <li>[ ] International Mechanical Code</li> <li>[ ] International Fuel Gas Code</li> <li>[ ] NFPA 54 National Fuel Gas Code</li> <li>[ ] NFPA 58 Liquefied Petroleum Gas Code</li> </ul>
Section Chapter 4	Page 71-109
2. Applicant:	
Anne O'Rourke	
. Signed:	
Proponent Tit	2/28/10 le Date
Contact Person:	
Annie O Route  Name  Address: PD BOV 1746  Tit	le
Port Angeles, WA	98362
Phone: 360 417-565	Fax: (

MAR 0 1 2010

**SBCC** 

### **Chapter 4 - Foundations**

#### Section 401 General

R401.1 Application

R401.2 Requirements

R401.3 Drainage

### Section 402 Soils and Slopes

R402.1 Soils tests

R402.1.1 Expansive soils

R402.1.1.1 Expansive soils classifications

R402.1.2 Compressive or shifting soils

R402.1.3 Presumptive Load Bearing Values

R402.2 Construction on or adjacent to slopes

R402.2.1 Building clearance from ascending slopes

R402.2.2 Footing setback from descending slop surfaces

R402.2.3 Foundation elevation

R402.2.4 Alternate setback and clearances

#### Section 403 Materials

R403.1 Concrete

R403.2 Wood

R403.1.1 Fasteners

R403.1.2 Wood Treatment

R403.3 Precast Concrete

#### Section 404 Footings

R404.1 General

R404.2 Footings for Concrete and Masonry foundations

R404.2.1 Minimum Size

R404.2.2 Continuous Footing in Seismic Design D0, D1 and D2

R404.2.3 Seismic Reinforcing

R404.2.4 Footings with stem walls

R404.2.5 Slab-on-ground with turned down footing

R404.2.6 Minimum Depth

R404.2.6.1 Frost Protection

R404.2.6.2 Seismic Conditions

R404.2.7 Slope

R404.3 Footings for wood foundations

R404.4 Footings for precast concrete foundation

R404.5 Frost protected shallow foundations

R404.5.1 Foundation adjoining frost protected shallow foundations

R404.5.1.1 Attachment to unheated structure

R404.5.1.2 Attachment to heated structure

R404.5.2 Protection of horizontal insulation below ground

R404.5.3 Drainage

R404.5.4 Termite damage

### Section 405 Foundation Wall Systems

R405.1 Concrete foundation walls

R405.1.1 Design of Concrete Foundation Walls

R405.1.1.1 Cross Section

R405.1.1.2 Reinforcement

R405.1.1.2.1 Support of above-grade concrete walls

R405.1.1.2.2 Support of light-frame construction walls

R405.1.1.3 Concrete, Materials for concrete and forms

R405.1.1.3.1 Compressive Strength

R405.1.1.3.2 Concrete mixing and delivery

R405.1.1.3.3 Maximum aggregate size

R405.1.1.3.4 Proportioning and slump of concrete

R405.1.1.3.5 Consolidation of concrete

R405.1.1,3.6 Form materials and form ties

R405.1.1.3.6.1 Stay-in-place forms

R405.1.1.3.7 Reinforcement

R405.1.1.3.7.1 Steel Reinforcement

R405.1.1.3.7.2 Location of reinforcement

R405.1.1.3.7.3 Wall openings

R405.1.1,3.7.4 Support and Cover

R405.1.1.3.7.5 Lap splices

R405.1.1.3.7.6 Alternate grade of reinforcement and spacing

R405.1.1.3.7.7 Standard Hooks

R405.1.1.3.7.8 Construction joint reinforcement

R405.1.1.3.8 Exterior Wall Coverings

R405.1.2 Design required

R405.1.3 Additional Selsmic Requirements

R405.1.4 Foundation wall thickness

R405.1.5 Height above finished grade

R405.1.6 Backfill Placement

R405.2 Masonry foundation walls

R405.2.1 Design of masonry foundation walls

R405.2.1.1 Masonry foundation walls

R405.2.1.2 Rubble stone masonry foundation walls

R405.2.2 Design required

R405.2.3 Additional Seismic Requirements

R405.2.4 Foundation wall thickness

R405.2.5 Height above finished grade

R405.2.6 Backfill Placement

R405.3 Wood Foundation Walls

R405.3.1 Identification

R405.3.2 Stud Size

R405.3.3 Height and Backfill

R405.3.4 Backfilling

R405.3.5 Drainage and damp proofing

R405.3.6 Fastening

R405.4 Precast Concrete Foundation Walls

R405.4.1 Design

R405.4.2 Precast concrete foundation design drawings

R405.4.3 Identification

R405.5 Pier and Curtain Wall Foundations

R405.6 Retaining Walls

### Section 406 Foundation Anchorage

R406.1 Wood Sill Plates

R406.2 Foundation Anchorage

R406.3 Additional Seismic Requirements

### Section 407 Foundation Drainage

R407.1 Concrete and Masonry Foundations

R407.2 Wood Foundations

R407.2.1 Base

R407.2.2 Vapor Retarder

R407.2.3 Drainage System

R407.3 Precast Concrete Foundations

### Section 408 Foundation Damp proofing and Waterproofing

R408.1 Concrete and Masonry Foundation Dampproofing

R408.2 Concrete and Masonry Foundation Waterproofing

R408.3 Wood Foundation Dampproofing

R408.3.1 Panel joints sealed

R408.3.2 Below-grade moisture barrier

R408.3.3 Porous fill

R408.3.4 Backfill

R408.4 Precast Concrete Foundation Dampproofing

R408.4.1 panel joints sealed

#### Section 409 Columns

R409.1 Wood Column protection

R409.2 Steel Column Protection

R409.3 Structural Requirements

### Section R410 Under-Floor Space

R410.1 Ventilation

R410.1.1 Openings for under-floor ventilation

R410.2 Unvented crawl space

R410.3 Access

R410.4 Removal of Debris

R410.5 Finished Grade

R410.6 Flood Resistance

The goal here was to restructure Chapter 4 in a more logical manner. Below is a list of significant reorganizational changes. No content changes are proposed in this revision.

Separate section for soils and slopes – By locating all soils and slope issues in the same section one can locate the needed information quickly at the beginning of the chapter. In addition, the expansive soils portion, currently located at the end of the footing section, seems more appropriately placed in the soils section at the front.

**Some Title Changes** – The changes were an attempt to make the chapter more consistent with other sections of the code.

Lists are ordered in the same manner in each section – Whether you are looking for footing information, foundation information or damp proofing information, the list begins with concrete then masonry, followed by wood and finally precast concrete.

Separate section for foundation anchorage – The anchorage requirements were located in the footing section and an obscure reference to wood sill plates following wood foundation wall section.

Separated masonry & concrete foundations in a section entitled Foundation Wall Systems — Originally masonry and concrete foundation walls were together. To complete the masonry requirements one had to jump 10 pages to locate the next required section.

While no content change is proposed here, there are 21 different phrases and clauses used to describe foundation walls. I believe that number can be effectively reduced to 12, without loss of understanding.

#### **EXISTING**

Foundation walls Concrete foundation walls Masonry foundation walls Precast concrete foundation walls Clay and masonry foundation walls Basement walls Flat basement walls Concrete basement walls Waffle-grid basement walls Screen-grid basement walls Flat concrete basement walls Concrete walls Rubble stone masonry walls Above grade concrete walls Retaining walls Stem walls Concrete stem walls Foundation stem walls Concrete foundation stem walls Wood foundation walls Pier and curtain wall foundations

#### **PROPOSED**

#### Foundation walls

Concrete foundation walls
Masonry foundation walls
Precast concrete foundation walls
Rubble stone foundation walls
Wood foundation walls

#### Basement walls

Concrete basement walls Waffle-grid basement walls Screen-grid basement walls

Retaining Walls
Pler and Curtain Wall Foundations

								Log #	(for office use only	
				Economic l	mpact \	Worksheet				
	(Requ	ired for sta	atewide a	imendment :	#Anecte	Attack our		documentati	ion )	
Proponent: House O	IRC.	Tiel	o. /	1/2 0/4	. 41	•			.0.1,7	
Proponent: Alund	Rock	1111	e:	<u> </u>	7					
Development	THE PARTY.		<del></del>	Phone	40 41	1-5615	Date: _	2.78.1	0	
" " " " AMEDOMENT Henefit										
PROBLEM(S) ADDRESSED:	Jis	Orga	nna	5 my 5	(h)	rester	4			
Name of the same o			3		)	CANCA	<del>7</del> ——			
PRIMARY REASON FOR AMI	ZNITNA ENI	Tr. Zata a				<u> </u>			<u> </u>	
Paorie negini, salety a	nd welfan	и: (спеск е	one only	/) viloto Eller T						
☐ Reduce cost		_	Cod	date from Id	gislation	or courts				
"Manage risk" for government	ıt		A Othe	e Pa	0601	nuati	ober 1			
TYPE OF RENERITS PROJECT	2779179			e change	21 9/12	rwza i	SY U			
TYPE OF BENEFITS PROJECT Saves lives/reduces injuries	ED: (the	ck all that	apply)							
☐ Protects/improves long-term b	ealth		☐ Save	s energy					•	
Reduces construction cost:			☐ Incre	ects environi ases accessi	nent					
Over existing code require	ment		□ Redn	ices regulați	onity					
Canceling new code requir	ement		□ Redu	ces governn	on Dent en fa	ircement co	et			
☐ Off-setting new code requi	rement	į	KU Clari	IICS/improve	s evictie	o coda	91			
Sill Table 11 of the Later 1180	1468		⊔ Prote	cts property	loss/dar	ทสตะ				
<b>.</b>	•	,	M Other	time	_81	Ving_			_	
Part II Amendment Impacts:	,					J			•	
TYPES OF CONSTRUCTION:	M New	Constructi	ion	Remode	ling/Ten	ant Improve	ment/D	amain		
COMPLETE TABLE FOR EACH										
√ Building Type					(See reverse for in			struction on items a through e)		
	1st Cost		Enforcement <sup>5</sup>		Owner <sup>c</sup>		Other		Supporting	
		· COSL	1		Ongoing		1		data	
Residential	C/Sd	Degree	C/Sd	Degree	C/Sd	Degree	C/Sd		artached	
Single family		0		(2)	0/5	The same of the sa	C/S <sup>c</sup>	Degreee		
Multi-family				+	<del></del>	10		<del> </del>		
Commercial/Retail Industrial				<del> </del>		<del> </del>		<del> </del>		
Government/Utilities								<del> </del>		
Other;	<del> </del>							<del>  </del>		
	1							† <b></b>		
OTHER EFFECTS:							-			
Evaluate by number scale 0-3 (0=	none 3-e	iania								
— mreatmood for liftballuu	4011¢, 5—3	iRumenut)	)	E	valuate	by letter c	ode			
O Decrease public cooperation				(1	Spec, Cu	istom, Facto	ory, Ren	iodel, Manu	ifact., Other, NA)	
Disadvantage small business     Other				// //	# Auv	mirate oué i	naustry		,	
Other				14	A DISA	dvantage on	ie indust	лу		
Part III & Comments and Recom		,								
Evaluate each by number scale 0-	nendatio	us:								
mount to timorce	∕∕∕∕∖∵C∧⊶	, 5=signifi of not ada	cant)		Eva	luate Yes o	r No (ci	rcle one)		
Costs exceed Benefits	Degra	of not adop	оок <del>ь</del> с	endment	$-\infty$	V Were alte	rnative :	solutions co	nsidered	
C/S Confidence level		TAU	AOURTOV(	usy	ו ועסי	N Recomme	and furth	ier benafit/ir	maget applyais	
					WI	v Kecomme	end futur	re benefit/im	pact review	